



# STR

## RACING PRODUCTS

[www.strracingproducts.com](http://www.strracingproducts.com)



### Product Catalogue



At STR Racing Products we pride ourselves in being able to offer high quality race products at entry level prices.

From the outset STR had ambitions to open up the most recent and modern developments in high-end motorsport to everyone. Only by dedicating time and research have we been able to realise this goal and now we offer a large range of products at the cutting edge of technological advancements, offering not only the highest approvals but also the most competitive pricing to be found anywhere on the market.

Here at STR, we listen to our customers' needs and use this to help us source and refine our product range to offer the most relevant products in demand.

We also take a strong role in product design and we are not afraid to modify longstanding design features to enhance products and by extension, our customers safety. Providing safe and reliable products is of the utmost importance to STR.

Over the years STR has built up a network of international dealers and the brand is now recognised on an international stage as being synonymous with quality and value; attributes we believe in and are committed to fulfilling.

trade  
distributors  
wanted



**Various flexible distributor packages available**

Please contact us for more details:

[enquiry@strracingproducts.com](mailto:enquiry@strracingproducts.com) | +44 (0)131 510 7450

Please note: all images are for illustration purpose only. Actual product may vary due to product enhancement.

# Contents

## Gauges



Page 4

## Switches




Page 5

## Racewear



Page 6-11

## Race Accessories



Page 12-13

## Scales



Page 14

## Wheels & Hubs



Page 16-18

## Seats & Mounts



Page 19-21

## Harnesses




Page 22-29

## Tools & Tow Straps



Page 30

## Window Nets



Page 31

# Liquid Filled Gauges

All liquid filled gauges are filled to 80%, the remaining 20% air pocket helps allow for thermal expansion & contraction as ambient temperature changes, thereby maintaining accuracy. To further enhance accuracy: these gauges have a rubber stopper on the top of the gauge which should be removed before use to set the internal pressure to atmospheric pressure.

## Mechanical Liquid Filled Gauges

### KEY FEATURES

- Competition mechanical liquid filled 2-5/8" gauges with LED backlight
- High accuracy; designed for high performance in all aspects of motorsport
- All necessary hardware included with easy to read instructions



**Oil Temperature**  
Part No. MECH03



**Water Temperature**  
Part No. MECH02



**Oil Pressure**  
Part No. MECH04



**Turbo Boost Gauge**  
Part No. MECH07

## Liquid Filled Tyre Pressure Gauges

### KEY FEATURES

- 0-30 psi (0-2 BAR) or 0-60 psi (0-4 BAR) scale available
- 0.5 psi or 1 psi increments with vastly superior accuracy
- Display holds pressure until released
- Reduce tyre overpressure by pressing the integral pressure relief valve button
- Glow-in-the-dark dial face is easy to read in total or partial darkness
- Specially designed vent valve to equalise pressure & maintain gauge accuracy
- Integral impact shock absorbing rubber surround with angled or ball chuck
- Designed for motorsport use

**2.5" 0-30 psi Angle Chuck**

Part No. 2.5TPG\_ANGLE\_0-30

**2.5" 0-30 psi Ball Chuck**

Part No. 2.5TPG\_BALL\_0-30

**2.5" 0-60 psi Ball Chuck**

Part No. 2.5TPG\_ANGLE\_0-60



**3" 0-60 psi Angle Chuck**  
Part No. 3TPG\_ANGLE\_0-60

**4" 0-60 psi Angle Chuck**  
Part No. 3TPG\_ANGLE\_0-60

# Switch Panels

## Red or Rubber Button Ignition Switch with Flip Switch(es)

### KEY FEATURES

- Aircraft style flip switch with LED light
- Red protective cover on the flip switch
- Red LED or Rubber covered push button
- Carbon fibre style lacquered backing
- Flip switch(es) rated to 20A , +12V D.C.
- Push button rated to 50A , +12V D.C.
- Dimensions: 95mm/125mm/150mm x 66mm x 3mm
- Pre-drilled for 4 hole mounting
- Easy to connect to your vehicle, wiring diagram included
- Bright red 'on' light, can alternatively be used as oil pressure warning light
- Ideal for motorsport, marine, industrial or road going vehicle use (UK road legal)
- Plastic cover to protect switch in harsh environments



#### Red Push Button with Flip Switch

Part No. SPA\_CB

#### Red Push Button with 2 Flip Switches

Part No. SPA1\_CB

#### Red Push Button with 3 Flip Switches

Part No. SPA2\_CB

#### Rubber Push Button with Flip Switch

Part No. SPAR\_CB

#### Rubber Push Button with 2 Flip Switches

Part No. SPAR1\_CB

#### Rubber Push Button with 3 Flip Switches

Part No. SPAR2\_CB

## Red Button Ignition Switch with Removable Key

### KEY FEATURES

- Removable ignition key - improves safety & security
- Rubber cover to protect port when key is removed
- Key switch is rated to 100A, +12V D.C.
- Dimensions: 110mm x 70mm x 3mm



Ignition Switch with Key

Part No. SPB\_CB

## Red Push Button

### KEY FEATURES

- Can be connected via a ring crimp connector
- Splash proof switch can be used in harsh environments
- Push button rated to 50A, +12V D.C.



Red Push Start Button  
Part No. PBA

## (Deluxe) Rubber Push Button

### KEY FEATURES

- Easy to connect to your vehicle
- Splash proof switch can be used in harsh environments
- Push button rated to 50A, +12V D.C.



Rubber Push Start Button  
Part No. PB1



Deluxe Rubber Push Start Button  
Part No. PB2

# Adult Race Suits

## Single Layer "Oval Start" Race Suit - SFI 3-2A/1 Approved

### KEY FEATURES

- Ideal for oval racing
- SFI approved to SFI 3-2 A/1 standard with approval labels
- High quality single layer, lightweight overalls
- Fire-retardant (Proban treated)
- Velcro waist strap
- Arm & ankle cuffs for comfort



 **Red & Black**  
Part No. OS\_RDCK

 **Blue & Black**  
Part No. OS\_CKBK

## Single Layer "Evo Start" Race Suit - SFI 3-2A/1 Approved

### KEY FEATURES

- Ideal for oval racing
- SFI approved to SFI 3-2 A/1 standard with approval labels
- High quality single layer, lightweight overalls
- Fire-retardant (Proban treated)
- Velcro waist strap
- Arm & ankle cuffs for comfort



 **Black/Red/White**  
Part No. ES\_CKRDWH

 **Black/Blue/Grey**  
Part No. ES\_CKBUGY

 **Black/Pink/Grey**  
Part No. ES\_CKPKGY

## Adult Race Suit Size Guide

Size	EU46	EU48	EU50	EU52	EU54	EU56	EU58	EU60	EU62	EU64	EU66
(cm)	2XS	XS	S	M	L	L	XL	2XL	3XL	4XL	5XL
Chest	88 - 92	92 - 96	96 - 100	100 - 104	104 - 108	108 - 112	112 - 116	120 - 124	124 - 128	128 - 132	132 - 136
Waist	76 - 79	80 - 84	85 - 88	89 - 98	93 - 96	97 - 100	101 - 105	106 - 110	111 - 114	115 - 119	120 - 123
Hip	89 - 92	93 - 96	97 - 100	101 - 104	105 - 108	109 - 112	113 - 117	118 - 122	123 - 126	127 - 130	131 - 134
Height	164 - 170	170 - 176	176 - 182	176 - 182	176 - 182	182 - 188	182 - 188	188 - 194	190 - 198	198 - 200	200 - 203

# Adult Race Suits



## Double Layer "Evo Pro" Race Suit - SFI 3-2A/5 Approved



### KEY FEATURES

- Ideal for oval racing
- SFI approved to SFI 3-2 A/5 standard with approval labels
- High quality single layer, lightweight overalls
- Fire-retardant (Proban treated)
- Velcro waist strap
- Arm & ankle cuffs for comfort



Size guide on page 6

## Triple Layer "Club" Race Suit - FIA 8856-2000 Approved

### KEY FEATURES

- Ideal for rally & circuit racing
- FIA 8856-2000 homologated with approval labels
- High quality 3-layer Nomex® construction (fire-retardant)
- Velcro waist strap
- Arm & ankle cuffs for comfort
- Shoulder epaulettes



# Junior Race Suits

## "Junior Evo Start" Race Suit - SFI 3-2A/1 Approved

### KEY FEATURES

- Ideal for oval racing
- SFI approved to SFI 3-2 A/1 standard with approval labels
- High quality single layer, lightweight overalls
- Fire-retardant (Proban treated)
- Velcro waist strap
- Arm & ankle cuffs for comfort
- Available in sizes: 7XS to XS



 **Red/Black/Grey**  
Part No. ESJ\_CKRDGY

 **Blue/Black/Grey**  
Part No. ESJ\_CKBUGY

 **Pink/Black/Grey**  
Part No. ESJ\_CKPKGY

Size guide on page 12

## "Junior Comfort" Race Suit - SFI 3-2A/1 Approved

### KEY FEATURES

- Ideal for oval racing
- SFI approved to SFI 3-2 A/1 standard
- High quality single layer, lightweight overalls
- Fire-retardant cotton construction
- Velcro waist strap
- Arm & ankle cuffs for comfort
- Stretch fabric in lower back area for improved comfort
- Available in sizes: 7XS to XS



 **Black/Red/White**  
Part No. SYRS\_CKRDWH

 **Blue/Black/Grey**  
Part No. SYRS\_CKGYBU

 **Black/White**  
Part No. SYRS\_CKWH



# Boots

## "Comfort" Race Boot - SFI 3.3/5 Approved



### KEY FEATURES

- SFI 3.3/5 approved
- Suede leather outer, lined with soft fire retardant Nomex® fabric
- High-grip moulded rubber sole, resistant to hydrocarbons
- Manufactured to a high standard
- Internal support & padding for comfort
- Available in sizes: EU28 to EU47

 **Black/Grey**  
Part No. BAF\_CKGY

 **Black/Blue**  
Part No. BAF\_CKBU

 **Black/Red**  
Part No. BAF\_CKRD

## "Club" Race Boot - FIA 8856-2000 Approved

### KEY FEATURES

- FIA 8856-2000 homologated
- Suede leather lined in soft Nomex® fire retardant knit fabric
- High grip moulded rubber sole resistant to hydrocarbons
- Manufactured to the highest standard
- Internal comfort padding/support
- Available in sizes: EU42 to EU50



 **Black**  
Part No. CLUBBT\_CK

### Adult & Youth Race Boot UK & EU Size Guide

UK Size	10.5	11.5	13	1.5	2.5	4	4.5	5	6	6.5	7.5	8	8.5	9	9.5	10	10.5	11.5	12	13	14	15
EU Size	28	30	32	34	35	36	37	38	39	40	41	42	42.5	43	43.5	44	45	46	47	48	49	50

# Gloves

## "Edition 3" Race Glove - SFI 3-3/5 Approved

### KEY FEATURES

- SFI 3.3/5 standard with approval label
- Ideal for oval racing
- High quality with internal stitching and silicon grip on palms and fingers
- Made of fire-retardant Nomex®
- Available in sizes: 6XS to XXL

 **Black/Grey**  
Part No. ED3\_CKGY



## "Edition 4" Race Glove - SFI 3-3/5 Approved

### KEY FEATURES

- Same as "Edition 3" but with external seam construction for maximum comfort
- Available in sizes: 6XS to XXL

 **Black/Grey**  
Part No. ED4\_CKGY



### Edition Race Gloves Size Guide

Edition Glove Size	XS	S	M	L	XL	XXL
Palm Measurement (cm)	16.5 - 19	19 - 21	21 - 24.5	24.5 - 27	27 - 29.5	29.5 - 31
Junior Edition Glove Size	6XS	5XS	4XS	3XS	2XS	XS
Palm Measurement (cm)	4.5 - 6	6 - 7.5	7.5 - 10	10 - 12.5	12.5 - 16.5	16.5 - 19

## "Club" Race Glove - FIA 8856-2000 Approved

### KEY FEATURES

- FIA 8856-2000 homologated
- Silicone treatment on fingers & palm for improved grip & feel
- External seam construction for maximum comfort
- Nomex® construction
- Very high quality soft knit material
- Zip up carry case included

 **Black**  
Part No. CLUBGL



### Club Race Gloves Size Guide

Club Glove Size	XS	S	M	L	XL	XXL	XXXL
Palm Measurement (cm)	18	19	20	21	22	23	24

# Underwear

Flame-retardant underwear is essential for providing the last line of defence in a fire. The extra layer of flame retardant material is an item that no driver should ever have to use, but if you need it, you will be glad you have it. The soft knit is hypoallergenic and comfortable on the skin.

## Nomex Balaclava - SFI 3.3 Approved

### KEY FEATURES

- SFI approved to 3.3 with approval label
- Soft knit material
- Fireproof Nomex®
- One size fits all



- Black**  
Part No. STR\_SFI\_BAL CK
- White**  
Part No. STR\_SFI\_BAL\_WH

## Nomex Balaclava - FIA 8856-2000 Approved

### KEY FEATURES

- FIA approved to 8856-2000 with approval label
- Soft knit material
- Fireproof Nomex®
- One size fits all



- Black**  
Part No. STR\_FIA\_BAL CK
- White**  
Part No. STR\_FIA\_BAL\_WH

## Rayon/Nomex Club Race Underwear - FIA 8856-2000 Approved

### KEY FEATURES

- FIA 8856-2000 approved
- Soft knitted using 50% Rayon/ 50% Nomex®
- High neck & long sleeves for maximum protection
- Light, breathable & tailored fit



### Race Underwear Size Guide

Top Size in cm	S	M	L	XL	XXL
Chest	99	106	111	124	129
Waist	96	106	116	124	129
Sleeve	76	79	83	85	87
Back of neck to waist	66	70	72	74	77
Bottom Size in cm	S	M	L	XL	XXL
Waist	63	66	71	73	78
Hip	99	104	114	120	129
Inseam	69	71	73	75	77
Waist to end of leg	95	98	104	107	110



- Black Top**  
Part No. RAY/NX\_TOP CK
- White Top**  
Part No. RAY/NX\_TOP\_WH
- Black Bottoms**  
Part No. RAY/NX\_BOT CK
- White Bottoms**  
Part No. RAY/NX\_BOT\_WH

# Wet Suits

## Rain/Wet Suit - Ideal for Oval & Kart Racing

### KEY FEATURES

- Ideal for all aspects of motorsport to protect you from getting wet
- One piece suit with zip and hook-and-loop fastening
- Constructed from a high strength transparent polymer
- High quality

Adults See Size Chart on Page 6



Black

Adult Part No. STR\_WS\_CK

Junior Part No. WS\_JUN\_CK



Clear

Adult Part No. STR\_WS\_CLR

Junior Part No. WS\_JUN\_CLR

## Kids Rain/Wet Suit - Ideal for Oval & Kart Racing

### KEY FEATURES

- Ideal for all aspects of motorsport to protect you from getting wet
- One piece suit with zip and hook-and-loop fastening
- High quality
- Sizes available from: XS down to 7XS



Clear

Kids Part No. KRS\_CLR

## Youth/Junior Race Suit & Kids Wet Suit Size Guide

Size	7XS	6XS	5XS	4XS	3XS	2XS	XS
Chest	66	67	72	77	82	87	92
Waist	60	61	62	67	72	77	82
Hip	68	72	76	77	82	87	92
Base of neck to ankle	86	91	99	110	120	130	140

## Junior Wet Suit Size Guide

Size (cm)	28 (S)	32 (M)	36 (L)	40 (XL)
Chest	96	99	102	108
Waist	81	86	91	96
Inseam	65	68	71	74
Arms	57	58	60	61
Height	139	144	149	155

## Neck Brace - SFI 3.3 Approved

### KEY FEATURES

- SFI 3.3 approved
- Fire-retardant material
- Shaped for a comfortable fit
- High quality foam
- Sizes available from: S to L

	<b>Blue</b> Part No. NECK_BU
	<b>Black</b> Part No. NECK_CK
	<b>Red</b> Part No. NECK_RD



## Arm Restraints - SFI 3.3 Approved

### KEY FEATURES

- SFI 3.3 approved - with labels
- Compliant with NASA Autograss regulations
- Fully adjustable
- Suitable for all types of harness



	<b>Blue</b> Part No. AR_BU
	<b>Black</b> Part No. AR_CK
	<b>Red</b> Part No. AR_RD


## Double Helmet Hammock

### KEY FEATURES

- Attaches to roll cage via adjustment buckles & straps
- Holds two race helmets
- Solid cross brace centre webbing (black)
- Full fabric option available
- Only 400g weight

 **Black**  
Part No. HEL\_NET\_CK

 **Silver**  
Part No. HEL\_NET\_SL



## 1.5m / 3m "T" Pull Cale

### KEY FEATURES

- 3m long cable
- Suitable for use with plumbed-in fire extinguishers, electrical cut off switches & boot or bonnet catches
- Stainless steel for corrosion resistance

### 1.5m "T" Pull Cable

Part No. SS\_TPULL\_1.5M

### 3m "T" Pull Cable

Part No. SS\_TPULL\_3M



# Competition Cornerweight

STR scales are designed to precise quality control standards. These systems are assembled in the UK & are supplied with a 12 month warranty.



STR Scales  
Part No. STR\_CW1R2(ALU)




Fig. Pad dimensions

**Electronic Corner Weight Scales are an integral part of any professional race team's set up equipment. These are essential to assist in adjustment of weight distribution through ride height, spring/damper stiffness and suspension geometry to ensure maximum grip for your race car.**

## USE

- Setting up your race car with this system will show you how alterations in geometry, ride height & stiffness affect weight distribution
- Record measurements & once your ideal setup is found, use this system to ensure that your car is race ready every time
- Ensure you comply with min/max weight restrictions for your class
- If your vehicle has been damaged or altered, this is an excellent way of checking how your setup compares with previous readings

## KEY FEATURES

- The only race car Electronic Scale Measurement System to be designed & assembled in the UK
- Fully calibrated system (calibrated using certified M1 weights with full traceability to national standards)
- Measures & displays: total weight, cross weight, front axle weight, rear axle weight, RH/LH weight, individual corner weights (% also shown)
- Ultra precise load cells with 0.05% accuracy
- Displays to 4 significant places (e.g. displays weights as '136.1Kg')
- 24-hour system recalibration turn around service here in the UK - no need to send your scale system back to the USA for calibration
- Full spares back up service with same day dispatch
- 4x CNC machined billet aluminium loading pads with anti-slip surface
- Large backlit screen for easy reading, even in direct sunlight
- Control panel housed in an attractive ABS lockable flight line case
- Cordless - supplied with Ni-Cad internal batteries with 12-hour battery life
- Supplied with 230V mains charger/power cable & with flexible connecting pad cables
- Centre of gravity automatic calculation function with asterisk display on the screen to show the exact car centre of gravity point (unique feature)
- Selectable display in either Kgs or lbs
- Max weight: 500Kg per pad, 2000Kg in total
- USB & parallel printer output ports
- Designed to meet strict quality control standards
- 12-month warranty as standard

**WARNING** - The effectiveness of this system is directly related to the way in which it is installed, used & maintained. The user assumes that risk. No warranty, expressed or implied, is made as to its ability to protect against serious injury or death. See instructions for correct installation. If in doubt, consult the manufacturer. Systems can be returned to the manufacturer for inspection once a year & calibrated every year at a service charge. Contact the manufacturer if the software or hardware is damaged in any way or does not function properly.

# Steering Wheels

## Aluminium Lightweight Steering Wheel - 13" or 15"

### KEY FEATURES

- Ideal for road or motorsport use
- Designed for Oval Racing (Brisca F2/Autograss/Saloon Stock Cars)
- Bolts directly to any of our range of quick release steering hubs
- Outer rim material is designed for optimum grip in all weather conditions
- Lightweight but strong
- Made to strict quality control standards

### DESIGN

- 13" or 15" Diameter wheel with 2" dish
- Aluminium centre spars in Black or Silver
- Smooth black foam covered outer grip
- 3 drilled holes for attachment to hub

**13" Black Spars**  
Part No. 13ALU\_CK

**15" Black Spars**  
Part No. 15ALU\_CK

**13" Silver Spars**  
Part No. 13ALU\_SL

**15" Silver Spars**  
Part No. 15ALU\_SL



## Pro Flat Kit Car Steering Wheel - 10.5", 12" or 13"

### KEY FEATURES

- Ideal for road or motorsport use
- Designed for track use (strong & lightweight)
- Shaped grip sections for comfort & accurate driving
- Outer rim cover is suede effect, ideal for optimum grip in all weather conditions
- Flat dish offers maximum space for the driver

### DESIGN

- Aluminium anodised black centre
- 6 drilled holes for attachment to most boss kits
- 70mm PCD across the diameter of the holes

**10.5" (265mm)**  
Part No. WHEEL\_38-280

**12" (300mm)**  
Part No. WHEEL\_38-320

**13" (350mm)**  
Part No. WHEEL\_38-350



Installation of these products should be carried out by a qualified professional. Bolts must be torqued by the required amount. Basic safety checks should be performed before every race.



# Steering Wheels



## Drift Dished Steering Wheel - 13" with 2" or 3" Dish

### KEY FEATURES

- Ideal for road or motorsport use
- Designed for racing use (lightweight & strong)
- Outer suede effect rim cover is designed for optimum grip in all weather conditions
- Deep 2" or 3" dish brings the steering closer to the driver
- Coloured tab to show centre position, ideal for use in drift cars / race cars

### DESIGN

- High strength design
- Aluminium anodised centre spars
- 6 drilled holes for attachment boss kit
- 70mm PCD across the diameter of the holes

#### 2" Dish, Black & Yellow Tab

Part No. WHEEL\_30

#### 3" Dish, Black & Yellow Tab

Part No. WHEEL\_1(YT)

#### 3" Dish, Black & Blue Tab

Part No. WHEEL\_1(BT)

#### 3" Dish, Black & Green Tab

Part No. WHEEL\_1(GT)

#### 3" Dish, White & Red Tab

Part No. WHEEL\_WH

#### 3" Dish, Blue & Yellow Tab

Part No. WHEEL\_6

#### 3" Dish, Green & Green Tab

Part No. WHEEL\_5

#### 3" Dish, Red & Yellow Tab

Part No. WHEEL\_8

#### 3" Dish, Silver & Yellow Tab

Part No. WHEEL\_9



## Single Seater Style Steering Wheel - 10"

### KEY FEATURES

- Ideal for road or motorsport use
- Designed for circuit racing
- No pre-drilled holes, so can be attached to any hub
- Outer suede effect rim cover is designed for optimum grip in all weather conditions
- Lightweight & strong

### DESIGN

- 10" (255mm) diameter wheel with flat dish
- Black anodised centre spars
- Flat bottom to give the driver more room in the cockpit



Single Seater Steering Wheel

Part No. WHEEL\_10FFCK

Installation of these products should be carried out by a qualified professional. Bolts must be torqued by the required amount. Basic safety checks should be performed before every race.

# Hub & Boss Kits

## Quick Release Hub - Hex, Spline or Deluxe Spline

### KEY FEATURES

- Ideal for motorsport use
- Acts as a safety device to allow quick escape from the vehicle
- Allows space for the driver to comfortably exit the car where the seat cannot be adjusted
- Fits almost any vehicle, welding to steering column is required
- The hub fits to a standard racing wheel with 3 hole fitment

### DESIGN

- Anodised billet aluminium for corrosion resistance
- Hardened to be harder wearing against the steel hex/spline
- ID of spline/hex piece is 3/4" (19mm) to fit most steering columns
- 3 x M8 threaded holes for attachment to wheel
- Ultra Lightweight item, only 245g
- Deluxe style offers one handed operation & a longer, deeper spline with multi point securing system



*Spare weldable Hex & Splines are available.*

**Hex Black**  
Part No. HEXHUB\_CK

**Spline Black**  
Part No. SPLHUB\_CK

**Deluxe Black**  
Part No. DXEHUB\_CK

**Hex Silver**  
Part No. HEXHUB\_SL

**Spline Blue**  
Part No. SPLHUB\_BU

**Deluxe Blue**  
Part No. DXEHUB\_BU

**Spline Red**  
Part No. SPLHUB\_RD

**Deluxe Red**  
Part No. DXEHUB\_RD

Installation of this product should be carried out by a qualified professional. Welding must be performed to a high standard to avoid safety concerns.

## BMW Boss Kit - Suitable for E30, E36 or E46

### KEY FEATURES

- Ideal for road or motorsport/driftting use
- Allows quick and easy attachment of any 6 hole 70mm PCD steering wheel
- Fits all BMW E30/36/46 models

### DESIGN

- Splined section has been machined to match the standard BMW E30/36/46 steering column spline
- Will bolt on to existing steering column, no welding required



**BMW E30 Boss Kit**  
Part No. E30BOSS

**BMW E36 Boss Kit**  
Part No. E36BOSS

**BMW E46 Boss Kit**  
Part No. E46BOSS


Installation of this product should be carried out by a qualified professional. Ensure attachment is checked before starting your journey.

# Race Seats

## Roma Race Seat - FIA 8855-1999 Approved

### KEY FEATURES

- FIA homologation 8855-1999
- FHR/HANS compatible
- Superior memory foam padding
- Shoulder protection
- Side-mounted (standard holes for fitment to universal brackets)
- 5 harness slots to suit 4, 5 or 6 point harnesses
- Ergonomic design with removable lumbar & leg supports
- Seat weight: 11.5kg




 Roma Black  
Part No. ROMA\_CK

## Rapido Race Seat - FIA 8855-1999 Approved

### KEY FEATURES

- FIA homologation 8855-1999
- FHR/HANS compatible
- Superior memory foam padding
- One-piece gel coated fibreglass monolithic shell construction
- Shoulder protection
- Side mounted (standard holes for fitment to universal brackets)
- Finished in a choice of black/blue/red in velour/PVC
- 5 harness slots to suit 4, 5 or 6 point harnesses
- Ergonomic design with removable lumbar & leg supports
- Preformed thigh support to keep legs in the optimum driving position
- Seat weight: 9kg



 Rapido Black  
Part No. RAPIDO\_CK

 Rapido Blue  
Part No. RAPIDO\_BU

 Rapido Red  
Part No. RAPIDO\_RD


 Rapido Black PVC  
Part No. RAPIDO\_PVC\_CK

# Race Seats

## Angolo Race Seat - FIA 8855-1999 Approved

### KEY FEATURES

- FIA homologation 8855-1999
- FHR/HANS compatible
- Superior memory foam padding
- One-piece gel coated fibreglass monolithic shell construction
- Shoulder protection
- Side mounted (standard holes for fitment to universal brackets)
- Finished in a choice of black/blue/red velour
- 5 harness slots to suit 4, 5 or 6 point harnesses
- Ergonomic design with removable lumbar & leg supports
- Preformed thigh support to keep legs in the optimum driving position
- Seat weight: 9.5kg



**Angolo Black**  
Part No. ANGOLO\_CK


**Angolo Blue**  
Part No. ANGOLO\_BU

**Angolo Red**  
Part No. ANGOLO\_RD

## Potenza Full Containment Race Seat - FIA 8855-1999 Approved

### KEY FEATURES

- FIA homologation 8855-1999
- FHR/HANS compatible
- Superior memory foam padding
- One-piece gel coated fibreglass monolithic shell construction
- Head & shoulder protection
- Side mounted (standard holes for fitment to universal brackets)
- Finished in a choice of black/blue/red in velour/PVC
- 5 harness slots to suit 4, 5 or 6 point harnesses
- Ergonomic design with removable lumbar & leg supports
- Preformed thigh support to keep legs in the optimum driving position
- Seat weight: 12.2kg



**Potenza Black**  
Part No. POTENZA\_CK

**Potenza Blue**  
Part No. POTENZA\_BU

**Potenza Red**  
Part No. POTENZA\_RD

**Potenza Black PVC**  
Part No. POTENZA\_PVC\_CK

# Seat Mounts

## 110mm Mild Steel Seat Mounts

### KEY FEATURES

- Meets FIA requirements
- Universal: will fit to most manufacturer's seats
- Multi drilled giving multiple locations for seat mounting
- Made from mild steel & powder coated in black
- 110mm high & 1720g in weight
- Seat mounting slots centre to centre is 290mm, hole size 9mm, oval size 18mm long by 9mm high



**110mm Mild Steel**  
Part No. SM\_MS110

## 125mm Carbon Steel Seat Mounts

### KEY FEATURES

- Meets FIA requirements
- Universal: will fit to most manufacturer's seats
- Multi drilled giving multiple locations for seat mounting
- Made from carbon steel & powder coated in black
- 125mm High x 360mm Long, 54mm wide & 2500g in weight
- Seat mounting slots centre to centre is 290mm, hole size 9mm, oval size 18mm long by 9mm high



**125mm Carbon Steel**  
Part No. SM\_CS125

## 160mm Mild Steel Seat Mounts

### KEY FEATURES

- Meets FIA requirements
- Universal: will fit to most manufacturer's seats
- Multi drilled giving multiple locations for seat mounting
- Made from mild steel & powder coated in black
- 160mm high x 360mm Long, 54mm wide
- Seat mounting slots centre to centre is 290mm, hole size 9mm, oval size 18mm long by 9mm high
- 2280g in weight




**160mm Mild Steel**  
Part No. SM\_MS160

## 125mm Aluminium Lightweight Seat Mounts

### KEY FEATURES

- Meets FIA requirements
- Universal: will fit to most manufacturer's seats
- Multi drilled giving multiple locations for seat mounting
- Made from T5 Grade aluminium
- 125mm high x 360mm Long, 54mm wide
- Seat mounting slots centre to centre is 290mm, hole size 9mm, oval size 18mm long by 9mm high
- 1500g in weight



**125mm Aluminium Steel**  
Part No. SM\_ALU125

These seat mounts should be installed by a qualified professional only.

# FIA Harnesses

## 4-Point & 6-Point Harness - FIA Approved

### KEY FEATURES

- FIA homologated - get 6 years of use
- 4 or 6-point harness with aircraft quick release style buckle
- Aircraft clip - popular in rally, circuit & drag racing
- Aircraft securing device allows for quick removal of harness in an emergency
- 3" strap width on shoulder & waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\* (on 5 & 6-point only)
- Steel adjusters
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



**4/6-Point Black**  
Part No. 4/6FC()\_CK

**4/6-Point Green**  
Part No. 4/6FC()\_GN

**4/6-Point Orange**  
Part No. 4/6FC()\_OR

**4/6-Point Silver**  
Part No. 4/6FC()\_SL

**4/6-Point Blue**  
Part No. 4/6FC()\_BU

**4/6-Point Purple**  
Part No. 4/6FC()\_PP

**4/6-Point Yellow**  
Part No. 4/6FC()\_YL

**4/6-Point Red**  
Part No. 4/6FC()\_RD

**4/6-Point Pink**  
Part No. 4/6FC()\_PK

**4/6-Point Gold**  
Part No. 4/6FC()\_GD

**WARNING** - The effectiveness of these harnesses is directly related to the way in which it is installed, used and maintained. The user assumes that risk. No warranty, expressed or implied, is made as to its ability to protect against serious injury or death. See instructions for correct installation. If in doubt, consult the manufacturer. Harnesses should be returned to the manufacturer for inspection once a year and replaced every two years. Harnesses should be replaced following an accident, or when the webbing or hardware is damaged in any way or does not function properly.

\* 'Submarining' can occur during a vehicle collision where the victim is propelled violently under the lap belt. It can result in serious injuries or death. Submarining can occur even in low speed collisions.

\*\* Insert year of expiry between brackets to complete part number

# FIA Harnesses

## 4-Point, 5-Point & 6-Point Lightweight Harness - FIA Approved


### KEY FEATURES


- FIA homologated - get 6 years of use
- 4 or 6-point harness with aircraft quick release style buckle
- Aircraft clip - popular in rally, circuit & drag racing
- Aircraft securing device allows for quick removal of harness in an emergency
- 3" strap width on shoulder & waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\* (on 5 & 6-point only)
- Lightweight aluminium adjusters - easier to adjust straps
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness




 **4/5/6-Point Alu Black**  
Part No. 4/5/6FC()\_CK

 **4/5/6-Point Alu Blue**  
Part No. 4/5/6FC()\_BU

 **4/5/6-Point Alu Red**  
Part No. 4/5/6FC()\_RD

 **4/5/6-Point Alu Green**  
Part No. 4/5/6FC()\_GN

 **4/5/6-Point Alu Pink**  
Part No. 4/5/6FC()\_PK

\*\* Insert year of expiry between brackets to complete part number

## 4-Point & 6-Point Press Button Harness - FIA Approved

### KEY FEATURES

- FIA homologated - get 6 years of use
- Press button securing device allows for quick removal of harness in an emergency
- 3" strap width on shoulder & waist straps
- 2" Strap width on crutch strap for comfort
- Crutch strap (on 6-point) prevents the risk of submarining\*
- Lightweight aluminium adjusters - easier to adjust straps
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



 **4/6-Point Press Button Black**  
Part No. 4/6FP(PRESS/ALU)\_CK

 **4/6-Point Press Button Blue**  
Part No. 4/6FP(PRESS/ALU)\_BU

 **4/6-Point Press Button Red**  
Part No. 4/6FP(PRESS/ALU)\_RD

\* 'Submarining' can occur during a vehicle collision where the victim is propelled violently under the lap belt. It can result in serious injuries or death. Submarining can occur even in low speed collisions.

# FIA Harnesses

## 6-Point 3" to 2" Shoulder Strap Harness - FIA Approved

### KEY FEATURES

- FIA homologated - get 6 years of use
- 3" to 2" shoulder straps, ideal for use with a FHR frontal head restraint, HANS device, Simpson Hybrid etc
- Aircraft clip - popular in rally, circuit & drag racing
- Aircraft securing device allows for quick removal of harness in an emergency
- 3" to 2" strap width on shoulder & waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\*
- Lightweight aluminium adjusters - easier to adjust straps
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



**6-Point 3" to 2" Black**

**Part No. 6FC(FHR/ALU)\_CK**

**6-Point 3" to 2" Blue**

**Part No. 6FC(FHR/ALU)\_BU**

## 6-Point 3" to 2" Single Seater Race Harness - FIA Approved

### KEY FEATURES

- FIA homologated - get 6 years of use
- 6-point harness with aircraft quick release style buckle
- Aircraft clip - popular in racing
- Aircraft securing device allows for quick removal of harness in an emergency
- 3" to 2" strap width for frontal head restraint on shoulder & 2" waist straps
- Aluminium adjusters, & 2" strap width on leg straps
- Shoulder straps can be shortened for attachment behind the driver to the roll cage
- Bolt in style connections for security



**6-Point Single Seater Black**

**Part No. 6FC(SS-FHR/ALU)\_CK**

\* 'Submarining' can occur during a vehicle collision where the victim is propelled violently under the lap belt. It can result in serious injuries or death. Submarining can occur even in low speed collisions.



# SFI Harnesses

## 5-Point NASCAR Latch Harness - SFI Approved

### KEY FEATURES



- SFI approved (SFI 16.1)
- 5-point harness with NASCAR latch style buckle, popular in oval/shale/autograss track racing
- 3" strap width on shoulder & waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\*
- Steel adjusters
- Shoulder straps can be shortened for attachment behind the driver to the roll cage
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



## 5-Point NASCAR Lightweight Latch Harness - SFI Approved

### KEY FEATURES

- Same as "5SN Harness" but with aluminium adjusters
- Lightweight aluminium adjusters - easier to adjust straps



\* 'Submarining' can occur during a vehicle collision where the victim is propelled violently under the lap belt. It can result in serious injuries or death. Submarining can occur even in low speed collisions.


# SFI Harnesses

## 5-Point 2" NASCAR Latch Harness (1m strap length) - SFI Approved

### KEY FEATURES

- SFI approved (SFI 16.1)
- 5-point harness with NASCAR latch style buckle, popular in oval/shale/autograss track racing
- 3" strap width on shoulder & waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\*
- Shoulder straps ideal for attachment behind the driver to the roll cage
- 1m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



	<b>5-Point Black</b> Part No. 5SN(NJ)_CK
	<b>5-Point Green</b> Part No. 5SN(NJ)_GN
	<b>5-Point Orange</b> Part No. 5SN(NJ)_OR





	<b>5-Point Blue</b> Part No. 5SN(NJ)_BU
	<b>5-Point Purple</b> Part No. 5SN(NJ)_PP
	<b>5-Point Yellow</b> Part No. 5SN(NJ)_YL

	<b>5-Point Red</b> Part No. 5SN(NJ)_RD
	<b>5-Point Pink</b> Part No. 5SN(NJ)_PK
	<b>5-Point Silver</b> Part No. 5SN(NJ)_SL

## 5-Point 2" NASCAR Latch Harness (2m strap length) - SFI Approved

### KEY FEATURES

- Same as above but with 2m long shoulder straps
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage

	<b>5-Point Black</b> Part No. 5SN(NJ/CUS2M)_CK
	<b>5-Point Red</b> Part No. 5SN(NJ/CUS2M)_RD
	<b>5-Point Blue</b> Part No. 5SN(NJ/CUS2M)_BU
	<b>5-Point Pink</b> Part No. 5SN(NJ/CUS2M)_PK



\* 'Submarining' can occur during a vehicle collision where the victim is propelled violently under the lap belt. It can result in serious injuries or death. Submarining can occur even in low speed collisions.

# SFI Harnesses



## 5-Point Camlock Buckle Race Harness - SFI Approved

### KEY FEATURES

- SFI approved (SFI 16.1)
- 5-point harness with aircraft style clip, popular in oval, circuit & drag racing
- Aircraft securing device allows for quick removal of harness in an emergency
- 3" strap width on shoulder and waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\*
- Steel adjusters
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



**5-Point Camlock Black**  
Part No. 5SC\_CK

**5-Point Camlock Green**  
Part No. 5SC\_GN

**5-Point Camlock Orange**  
Part No. 5SC\_OR

**5-Point Camlock Blue**  
Part No. 5SC\_BU

**5-Point Camlock Purple**  
Part No. 5SC\_PP

**5-Point Camlock Yellow**  
Part No. 5SC\_YL

**5-Point Camlock Red**  
Part No. 5SC\_RD

**5-Point Camlock Pink**  
Part No. 5SC\_PK

**5-Point Camlock Silver**  
Part No. 5SC\_SL

## 5-Point NASCAR Latch with Velcro Race Harness - SFI Approved

### KEY FEATURES

- SFI approved (SFI 16.1)
- 5-point harness with NASCAR latch style buckle with Velcro®, excellent additional safety feature
- NASCAR latch - popular in environments where dirt ingress can be an issue
- 3" strap width on shoulder and waist straps
- 2" strap width on crutch strap for comfort
- Crutch strap prevents the risk of submarining\*
- Steel adjusters
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



**5-Point Velcro Black**  
Part No. 5SN(VLCR)\_CK

\* 'Submarining' can occur during a vehicle collision where the victim is propelled violently under the lap belt. It can result in serious injuries or death. Submarining can occur even in low speed collisions.




# Harnesses



## 5-Point Ratchet NASCAR Latch Harness



### KEY FEATURES

- Ratchet mechanism on the waist strap ensures a tight & precise fit for the driver
- Shoulder pads are built into the straps to ensure comfort & decrease risk of getting marks & bruises when in contact formulas
- Red safety tab connected to the latch for easy removal of latch
- Shoulder straps clip together to sit comfortable and ensure driver cannot slip through the centre of the belts
- 5-point harness with NASCAR latch style buckle - popular in environments where dirt can be an issue
- Aluminium adjusters with 3" strap width on shoulder & waist straps, 2" strap width on crutch strap for comfort & crutch strap prevents the risk of submarining\*
- 2m shoulder straps can be shortened for attachment behind the driver to the roll cage
- Snap hook connections allow for quick installation & removal of harness



-  **5-Point Ratchet Black**  
Part No. 5XN(RCHT)\_CK
-  **5-Point Ratchet Green**  
Part No. 5XN(RCHT)\_GN
-  **5-Point Ratchet Yellow**  
Part No. 5XN(RCHT)\_YL

-  **5-Point Ratchet Blue**  
Part No. 5XN(RCHT)\_BU
-  **5-Point Ratchet Purple**  
Part No. 5XN(RCHT)\_PP

-  **5-Point Ratchet Red**  
Part No. 5XN(RCHT)\_RD
-  **5-Point Ratchet Pink**  
Part No. 5XN(RCHT)\_PK

## Ratchet Mechanism for Race Harness

### KEY FEATURES

- Ratchet mechanism fitted to the waist strap of a harness ensures a tight & precise fit for the driver
- Specifically engineered with extreme racing conditions in mind
- The ratchet mechanism allows for a faster & tighter adjustment of the lap belt without any assistance from the co-driver or a crew member



**Ratchet for Drivers Left**  
Part No. RCHT\_LH

**Ratchet for Drivers Right**  
Part No. RCHT\_RH

## Square Backing Plate - Meets FIA Requirements

### KEY FEATURES

- Ideal for road or motorsport use
- Allows you to connect any harness with snap hooks or bolt-in ends to your vehicle
- 7/16" UNF thread - 60x60x3mm
- Zinc plated for corrosion resistance

**Backing Plate**  
Part No. SQ\_BP



## 50mm Harness Eye Bolt

### KEY FEATURES

- Meets FIA requirements
- Ideal for road or motorsport use
- Allows connection to any harness with snap hooks to your vehicle (floorpan, roll cage etc)
- 7/16" UNF thread
- Extra long 50mm thread length
- Zinc plated for corrosion resistance



**50mm Eye Bolt**  
Part No. 50EYE

## 23mm Harness Eye Bolt

### KEY FEATURES

- Meets FIA requirements
- Ideal for road or motorsport use
- Allows connection to any harness with snap hooks to your vehicle (floorpan, roll cage etc)
- 7/16" UNF thread
- 23mm thread length
- Zinc plated for corrosion resistance



**23mm Eye Bolt**  
Part No. 50EYE

## 2" Bolt in Harness Connection

### KEY FEATURES

- Slotted for use with 2" or 3" wide harnesses
- Plated for rust & corrosion resistance
- Ideal for use with tabbed bolt-in mounting locations
- Single bolt mounting for easy installation



**Bolt In Connection**  
Part No. BOLTIN

## 2" Snap on Harness Connection

### KEY FEATURES

- Slotted for use with 2" or 3" wide harnesses
- Locking spring tongue for guaranteed closure
- Plated for rust & corrosion resistance
- Safety wire lockout hole for racing requirements



**Snap In Connection**  
Part No. SNAPHK

## Bonnet Pins - Aluminium or Steel

### KEY FEATURES

- Slide plate and pins manufactured from very strong, lightweight, high tensile aluminium
- Quick release slide action for securing bonnets, tailgates & boots



**Aluminium Black**  
Part No. BP(ALU)\_CK

**Aluminium Blue**  
Part No. BP(ALU)\_BU

**Aluminium Red**  
Part No. BP(ALU)\_RD

**Aluminium Silver**  
Part No. BP(ALU)\_SL

**Steel Silver**  
Part No. BP\_SL

## Boot Springs

### KEY FEATURES

- Material type: stainless steel
- Type: engine mounts competition bonnet boot spring kit
- Size: whole spring unit length: 155.8mm / 6.14 inch
- Professional installation highly recommended



**Boot Springs**  
Part No. BSPR

# Tools / Tow Straps

## Carburettor Vacuum Synchronizer Balance Engine Diagnostic Kit

### KEY FEATURES

- Bank of four mini-gauges
- Lockable valves
- Maximum vacuum: 76cmHg
- Supplied in carry-case
- One of the most comprehensive balancer sets available
- Features a bank of four mini-gauges with lockable valves enabling user to hold vacuum values in use
- Supplied with set of long & short carburettor adaptors for easy access amongst the tubes and wires around the carburettor
- Includes 4x 900mm delivery tubes



**Carb Synchronizer**  
Part No. CARB\_SYN

## 3000Kg / 5000Kg Tow Hook Straps

### KEY FEATURES

- Can handle up to 5000/3000kg as required by MSA
- High quality extra heavy duty webbing
- Looks great on any vehicle
- Steel black plated attachment plate
- Can be mounted with a 14mm bolt
- Webbing width: 50mm, Loop diameter: 86mm, Total length: 322mm



 Tow Strap Black 3000Kg Part No. STR_TOW27_CK	 Tow Strap Blue 3000Kg Part No. STR_TOW27_BU	 Tow Strap Orange 3000Kg Part No. STR_TOW27_OR	 Tow Strap Purple 3000Kg Part No. STR_TOW27_PP
 Tow Strap Red 3000Kg Part No. STR_TOW27_RD	 Tow Strap Green 3000Kg Part No. STR_TOW27_GN	 Tow Strap Yellow 3000Kg Part No. STR_TOW27_YL	 Tow Strap Camo 3000Kg Part No. STR_TOW27_CA
 Tow Strap Pink 3000Kg Part No. STR_TOW27_PK	 Tow Strap Grey 3000Kg Part No. STR_TOW27_GY	 Tow Strap Gold 3000Kg Part No. STR_TOW27_GD	
 Tow Strap Black 5000Kg Part No. TOW_CK	 Tow Strap Red 5000Kg Part No. TOW_RD	 Tow Strap Pink 5000Kg Part No. TOW_PK	

## Wire Tow Strap - 2300 Kg

### KEY FEATURES

- Complies with FIA & MSA\* regulations Q19.1.3. - recommended to fit 4 per car (as in BTCC)
- Heavy duty construction grade 303 stainless steel wire, corrosion resistant
- Bright coloured loop
- Construction - 6mm x 19mm stainless steel wire with crimped copper ferrule crimp
- 60mm tow loop with bright red coloured plastic sleeving
- Max load - 2.3 tons, Length - 300mm



**Wire Tow Strap**  
Part No. STEEL\_TOW

Please note: the wire towing eye is for towing only and must not be used for lifting


# Window Nets



## Rectangular Window Net - SFI 27.1 Approved

### KEY FEATURES

- SFI 27.1 certified
- Standard rectangular shape with 1" net webbing
- Dimensions: 45mm x 55mm
- Hard wearing & durable
- Can be mounted for right hand or left hand drive vehicles



**Black**  
Part No. RTWN\_CK


**Blue**  
Part No. RTWN\_BU

**Red**  
Part No. RTWN\_RD

## Trapezoidal Window Net - SFI 27.1 Approved

### KEY FEATURES

- SFI 27.1 certified
- Trapezoid shape with 1" net webbing
- Trapezoidal shape runs down the A-pillar of your vehicle
- Dimensions: 46cm x 66cm
- Hard wearing & durable
- Can be mounted to right hand or left hand drive vehicles



**Black**  
Part No. TZNET\_CK

**Blue**  
Part No. TZNET\_BU

**Red**  
Part No. TZNET\_RD

**Orange**  
Part No. TZNET\_OR

**Yellow**  
Part No. TZNET\_YL

**Green**  
Part No. TZNET\_GN

**Silver**  
Part No. TZNET\_SL


**Purple**  
Part No. TZNET\_PP

**Colour + Quick Release Fitting Kit**  
Part No. +KIT

## Quick Release Fixing Kit

### KEY FEATURES

- Strong steel bar with quick release seat belt attachment
- Chrome plated
- Can be mounted above or below the net
- Lightweight in comparison to others on the market



**Quick Release Fitting Kit**  
Part No. WNFIX\_1

## Spring Loaded Fixing Kit

### KEY FEATURES

- Strong steel bar with spring loaded tube eliminates latch release & provides easy entry & exit
- Kit 1 complete with top spring tube & 3/4" flat aluminium bar for bottom of net
- Kit 2 complete with top spring tube & additional tube for bottom of net



**Spring Loaded Fitting Kit 1**  
Part No. WNFIX\_2



**Spring Loaded Fitting Kit 2**  
Part No. WNFIX\_3



# STAR

## RACING PRODUCTS

[www.strracingproducts.com](http://www.strracingproducts.com)

trade  
distributors  
wanted



Various flexible distributor packages available  
Please contact us for more details

### Contact Us



[contact@strracingproducts.com](mailto:contact@strracingproducts.com)



+44 (0)131 510 7450



Kirkcaldy, Fife, KY1 3PE

[www.strracingproducts.com](http://www.strracingproducts.com)